





Finitura YELLOW (giallo) oppure WIROX (argento)



Ø d1 [mm]	L [mm]	LG [mm]	SPAX Nr.	EAN Nr. 4003530...
2 x*	10	8	4081020200102	042942
Z 1	12	11	4081020200122	042959
	16	15	4081020200162	042966

2,5 x*	10	8	4081020250102	024313
Z 1	12	10	4081020250122	000928
	16	14	4081020250162	000935
	16	14	4081020250167	073571
	20	17	4081020250202	008184
	20	17	4081020250207	073588



3 x*	12	10	4081020300121	024245
Z 1	12	10	4081020300122	000584
	12	10	4081020300127	021213
	16	14	4081020300161	012747
	16	14	4081020300162	000591
	16	14	4081020300167	021220
	20	17	4081020300201	012754
	20	17	4081020300202	000607
	20	17	4081020300207	021237
	25	22	4081020300251	012761
	25	22	4081020300252	000614
	25	22	4081020300257	021244
	30	26	4081020300301	012778
	30	26	4081020300302	000621
	30	26	4081020300307	021251
	35	31	4081020300351	012785
	35	31	4081020300352	042973
	35	31	4081020300357	021268
	40	36	4081020300401	012792
	40	36	4081020300407	021275



* SPAX-S

(D)

Stahl gehärtet
Senkkopf Pozi
YELLOW (A2L)

(F)

Acier trempé
Tête fraisée Pozi
YELLOW (A2L)

(NL)

Gehard staal
Verzonken kop Pozi
YELLOW (A2L)

(UK)



Hardened steel
Countersunk Pozi
YELLOW (A2L)

(E)



Acero templado
Cabeza plana Pozi
YELLOW (A2L)

(I)

Acciaio temprato
Testa svasata plana Pozi
YELLOW (A2L)



Ø d1 [mm]	L [mm]	LG [mm]	SPAX Nr.	EAN Nr. 4003530...
3,5 x Z 2 	12	9	4081020350121	024252
	12	9	4081020350127	039065
	16	13	4081020350161	012808
	16	13	4081020350162	000805
	16	13	4081020350167	021282
	20	16	4081020350201	012815
	20	16	4081020350202	000812
	20	16	4081020350207	021299
	25	21	4081020350251	012822
	25	21	4081020350252	000638
	25	21	4081020350257	021305
	30	25	4081020350301	012839
	30	25	4081020350302	021916
	30	25	4081020350307	021312
	30	25	4081020350308	021688
	35	30	4081020350351	012846
	35	30	4081020350352	021923
	35	30	4081020350357	021329
	35	30	4081020350358	021695
	40	35	4081020350401	012853
	40	35	4081020350402	021930
	40	35	4081020350407	021336
	40	35	4081020350408	021701
	45	40	4081020350451	042874
	45	40	4081020350457	073601
	45	40	4081020350458	073526
	50	40	4081020350501	012860
	50	40	4081020350507	021343
	50	40	4081020350508	094064



	Ø d1 [mm]	L [mm]	LG [mm]	SPAX Nr.	EAN Nr. 4003530...
4 x	12	9		4081020400121	039027
z 2	16	13		4081020400161	012877
	16	13		4081020400162	000669
	16	13		4081020400167	021350
	20	16		4081020400201	012884
	20	16		4081020400202	000676
	20	16		4081020400207	021367
	25	21		4081020400251	012891
	25	21		4081020400252	000683
	25	21		4081020400257	021374
	30	25		4081020400301	012907
	30	25		4081020400302	021947
	30	25		4081020400307	021381
	30	25		4081020400308	021718
	35	30		4081020400351	012914
	35	30		4081020400352	000706
	35	30		4081020400357	021398
	35	30		4081020400358	021725
	40	35		4081020400401	012921
	40	35		4081020400402	021961
	40	35		4081020400407	021404
	40	35		4081020400408	021732
	45	40		4081020400451	012938
	45	40		4081020400452	024320
	45	40		4081020400457	021411
	45	40		4081020400458	021749
	50	45		4081020400501	012945
	50	45		4081020400502	021978
	50	45		4081020400507	021428
	50	45		4081020400508	021756
	60	50		4081020400601	012952
	60	50		4081020400607	021435
	60	50		4081020400608	073533
	70	50		4081020400701	024269
	70	50		4081020400707	039072
	70	50		4081020400708	094071
	80	50		4081020400802	042881
	80	50		4081020400807	093692

(D)

Stahl gehärtet
Senkkopf Pozi
YELLOX (A2L)

(F)

Acier trempé
Tête fraisée Pozi
YELLOX (A2L)

(NL)

Gehard staal
Verzonken kop Pozi
YELLOX (A2L)

(UK)



Hardened steel
Countersunk Pozi
YELLOX (A2L)

(E)



Acero templado
Cabeza plana Pozi
YELLOX (A2L)

(I)

Acciaio temprato
Testa svasata piana Pozi
YELLOX (A2L)



Ø d1 [mm]	L [mm]	LG [mm]	SPAX Nr.	EAN Nr. 4003530...
4,5 x	16	13	4081020450161	039034
	16	13	4081020450167	039089
Z 2	20	15	4081020450201	024276
	20	15	4081020450207	039096
	25	20	4081020450251	012969
	25	20	4081020450257	039102
	30	25	4081020450301	012976
	30	25	4081020450307	021442
	35	30	4081020450351	012983
	35	30	4081020450357	039119
	40	34	4081020450401	012990
	40	34	4081020450402	021985
	40	34	4081020450407	021459
	40	34	4081020450408	021763
	45	39	4081020450451	013003
	45	39	4081020450457	021466
	45	39	4081020450458	021770
	50	44	4081020450501	013010
	50	44	4081020450502	021992
	50	44	4081020450507	021473
	50	44	4081020450508	021787
	60	54	4081020450601	013027
	60	54	4081020450602	022005
	60	54	4081020450607	021480
	60	54	4081020450608	021794
	70	59	4081020450701	013034
	70	59	4081020450707	021497
	70	59	4081020450708	073540
	80	59	4081020450802	024283
	80	59	4081020450807	039126
	80	59	4081020450808	094088



Ø d1 [mm]	L [mm]	LG [mm]	SPAX Nr.	EAN Nr. 4003530...
5 x Z 2 	20	15	4081020500201	023057
	20	15	4081020500207	039133
	25	20	4081020500251	013041
	25	20	4081020500252	022104
	25	20	4081020500257	039140
	30	25	4081020500301	013058
	30	25	4081020500302	022111
	30	25	4081020500307	021503
	35	30	4081020500351	013065
	35	30	4081020500357	021671
	40	35	4081020500401	013072
	40	35	4081020500402	022128
	40	35	4081020500407	021510
	45	39	4081020500451	013089
	45	39	4081020500457	021527
	50	44	4081020500501	013096
	50	44	4081020500502	022135
	50	44	4081020500507	021534
	50	44	4081020500508	021800

(D)

Stahl gehärtet
Senkkopf Pozi
YELLOX (A2L)

(F)

Acier trempé
Tête fraisée Pozi
YELLOX (A2L)

(NL)

Gehard staal
Verzonken kop Pozi
YELLOX (A2L)

(UK)



Hardened steel
Countersunk Pozi
YELLOX (A2L)

(E)



Acero templado
Cabeza plana Pozi
YELLOX (A2L)

(I)

Acciaio temprato
Testa svasata piana Pozi
YELLOX (A2L)



Ø d1 [mm]	L [mm]	LG [mm]	SPAX Nr.	EAN Nr. 4003530...
5 x Z 2 	60	54	4081020500601	013102
	60	54	4081020500602	022142
	60	54	4081020500607	021541
	60	54	4081020500608	021817
	70	61	4081020500701	013119
	70	61	4081020500707	021558
	70	61	4081020500708	021824
	80	61	4081020500802	013126
	80	61	4081020500807	021565
	80	61	4081020500808	021831
	90	61	4081020500902	042898
	90	61	4081020500907	093913
	90	61	4081020500908	094095
	100	61	4081020501002	013133
	100	61	4081020500997	093920
	100	61	4081020501008	094101



Ø d1 [mm]	L [mm]	LG [mm]	SPAX Nr.	EAN Nr. 4003530...
6 x Z 3 	30	24	4081140600301	240263
	35	29	4081140600351	240287
	40	34	4081140600401	240300
	40	34	4081140600407	240317
	50	43	4081140600501	240324
	50	43	4081140600507	240331
	60	53	4081140600601	240355
	60	53	4081140600607	240362
	70	61	4081140600702	240386
	70	61	4081140600707	240393
	70	61	4081140600708	240409
	80	61	4081140600802	240416
	80	61	4081140600807	240423
	80	61	4081140600808	240430
	100	61	4081140601002	240447
	100	61	4081140601007	240454
	100	61	4081140601008	240461
	120	68	4081140601202	240478
	120	68	4081140601207	240485
	120	68	4081140601208	240492
	140	68	4081140601402	240508
	140	68	4081140601412	240515
<i>*4CUT</i>				
	160	65	4081140601602	240539
	160	65	4081140601612	240546
	180	65	4081140601802	240560
	180	65	4081140601812	240577